



EXCEPTIONAL CARE. WITHOUT EXCEPTION.  
© 2018 BGI Realty

**Hydroxychloroquine dosing:**  
400mg BID first day then  
200mg BID for 4 days (total 5d)

**Remdesivir dosing:**  
200mg first day then  
100mg daily for 4 days (total 5d)

# COVID treatment protocol

- No steroids for mild/moderate sickness
- Avoid Nebs
- **Steroid use should be a discussion between ID and Pulmonary/Critical Care**

## All Persons Under Investigation

**Contact/Droplet Precautions**  
**Comprehensive Respiratory Panel \***  
COVID-19 PCR\*  
Sputum Cultures\*  
MRSA Nares\*  
Procalcitonin  
G6PD  
Imaging: CXR, EKG  
Continuous Pulse OX

**\*NOTE: N95 respirator specimen collection. Collect all at same time to minimize exposure**

COVID PCR Negative  
AND  
Alternative Diagnosis

Stop Hydroxychloroquine

Temp > 101F  
AND O2 sat <90%  
Start Hydroxychloroquine  
Trend QTc qD  
Trend Glucose qD

COVID PCR Positive  
Call Infectious Diseases  
Continue Hydroxychloroquine  
Request Remdesivir through  
online portal:

<https://rdvcu.gilead.com>